



ScienceDaily®

Your source for the latest research news

- Follow
- f
- 🐦
- g+
- in
- Subscribe
- 📡
- ✉

Just In:
Drivers of Brain Aging: Cannabis, Schizophrenia

ADVERTISEMENT



Follow all of ScienceDaily's
latest research news and
top science headlines!

- SD**
- Health ▾
- Tech ▾
- Enviro ▾
- Society ▾
- Quirky ▾

Search

Science News

from research organizations

- Print
- Email
- Share

How the brain suppresses the act of revenge

Researchers find which brain zones are activated in anger

Date: August 21, 2018

Source: Université de Genève

Summary: Researchers have developed an economic game in which a participant is confronted with the fair behavior of one player and the unfair provocations of another player. They observed which areas were activated as the participant experienced unfairness and anger. Then scientists gave the participant the opportunity to take revenge. They thus identified the location in the brain of activations that are related to the suppression of the act of revenge in the dorsolateral prefrontal cortex.

Share: [f](#) [🐦](#) [g+](#) [p](#) [in](#) [✉](#)

RELATED TOPICS

Mind & Brain

- > Neuroscience
- > Anger Management
- > Disorders and Syndromes
- > Intelligence

Science & Society


- > Sports
- > Ethics
- > Racial Disparity
- > Economics

ADVERTISEMENT

RELATED TERMS

- > Game theory
- > Pyromania

FULL STORY



Clenched fists (stock image).

Credit: © Tiko / Fotolia

The desire for revenge can be the consequence of a feeling of anger. But is this the case at the cerebral level? What happens in the human brain when injustice is felt?

To answer these questions, researchers from the University of

ADVERTISEMENT

Most Popular

this week

HEALTH & MEDICINE



Consuming Milk at Breakfast
Lowers Blood Glucose Throughout
the Day



Probiotic Use Is a Link Between
Brain Fogginess, Severe Bloating



Moderate Carbohydrate Intake
May Be Best for Health, Study
Suggests

MIND & BRAIN



First Biomarker Evidence of DDT-
Autism Link

Collaborate, but Only Intermittently, Says New
Study

Poor Sleep Triggers Viral Loneliness and Social
Rejection


LIVING & WELL



Chemicals Found in Vegetables
Prevent Colon Cancer in Mice



Parental Life Span Predicts
Daughters Living to 90 Without
Chronic Disease or Disability



Adult-Child Conversations
Strengthen Language Regions of
Developing Brain

ADVERTISEMENT

Strange & Offbeat



Lire en ligne

UNIVERSITÉ
DE GENÈVE

Ordre: 1094772

Référence: 163696732

- > [Mirror neuron](#)
- > [Aggression](#)
- > [Anger management](#)
- > [Psychology](#)
- > [Anger](#)
- > [Bullying](#)

Geneva (UNIGE), Switzerland, have developed an economic game in which a participant is confronted with the fair behaviour of one player and the unfair provocations of another player. They then observed, through brain imaging, which areas were activated as the study participant experienced unfairness and anger. In a second phase, scientists gave the participant the opportunity to take revenge. They thus identified the location in the brain of activations that are related to the suppression of the act of revenge in the dorsolateral prefrontal cortex (DLPFC). The more active the DLPFC is during the provocation phase, the less the participant takes revenge. These results have now been published in *Scientific Reports*.

Until now, research on anger and the vengeful behaviour that results from it has been based primarily on the recall of a feeling of anger by the participants, or on the interpretation of anger on photographed faces. Olga Klimecki-Lenz, a researcher at UNIGE's Swiss Center for Affective Science (CISA), wanted to locate live which areas of the brain reacted when the person became angry and how this feeling materialized into vengeful behaviour.

Getting angry playing the Inequality Game

25 people took part in the Inequality Game, an economic game created by Olga Klimecki-Lenz to trigger a feeling of injustice, then anger, before offering the "victim" the possibility of revenge. "The participant has economic interactions with two players, whose behaviour is actually pre-programmed -- which he doesn't know about, explains Olga Klimecki-Lenz. One is friendly, offers the participant only mutually beneficial financial interactions and sends nice messages, while the other player makes sure to multiply only his own profits, going against the participant's interest and sending annoying messages."

The game takes place in three phases, during which the participant is installed in a magnetic resonance imaging (MRI) scanner allowing scientists to measure his brain activity. The participant is then confronted with the photographs of the other two players and the messages and financial transactions that he receives and issues. In the first phase, the participant is in control and chooses which profits he distributes to whom. "We noticed that on average, participants here are fair towards both other players," says Olga Klimecki-Lenz. The second phase is that of provocation: the participant passively receives the decisions of the other two players, and especially the provocations and injustice of the unfair player, which induce a feeling of anger rated on a scale from 0 to 10 by the participant himself. In the last phase, the participant is again the master of the game and can choose to take revenge or not by penalizing the other two players. Overall, participants remained nice to the fair player, but took revenge for the injustices committed by the unfair player.

The amygdala again!

The provocation phase played a crucial role in localizing the feeling of anger in the brain. "It was during this phase that we were able to identify which areas were related to feelings of anger," adds Olga Klimecki-Lenz. Thanks to MRI, researchers observed activity of the superior temporal lobe, but also of the amygdala, known mainly for its role in the feeling of fear and in processing the relevance of emotions, when participants looked at the photograph of the unfair player. These two areas correlated with feelings of anger: the higher the level of anger

HEALTH & MEDICINE



[Nanobot Pumps Destroy Nerve Agents](#)



[A GPS for Inside Your Body](#)



[Robots as Tools and Partners in Rehabilitation](#)

MIND & BRAIN



[How the Brain Suppresses the Act of Revenge](#)



[Robots Have Power to Significantly Influence Children's Opinions](#)



[Amputees Feel as Though Their Prosthetic Limb Belongs to Their Own Body](#)

LIVING & WELL



[A Video Game Can Change the Brain, May Improve Empathy in Middle Schoolers](#)

[Nordic Nations, North Americans and Antipodeans Rank Top in Navigation Skills](#)



[Eating Crickets Can Be Good for Your Gut, According to New Clinical Trial](#)

ADVERTISEMENT



reported by the participant, the stronger their activity.

Localized and defused revenge

"But the Inequality game allowed us above all to identify the crucial role of the dorsolateral prefrontal cortex (DLPFC), a zone which is key for the regulation of emotions and which is located at the front of the brain!" Olga Klimecki-Lenz explains enthusiastically. On average, participants took revenge on the unfair player. However, the researchers observed a variability in behaviour that shows that 11 participants nevertheless remained fair to the unfair player. But why so? The CISA team observed that the greater the DLPFC activity during the provocation phase, the less participants punished the unfair player. On the contrary, low DLPFC activity was associated with a more pronounced revenge on the participant following provocation by the unfair player. "We observed that DLPFC is coordinated with the motor cortex that directs the hand that makes the choice of vengeful behavior or not," continues the CISA researcher. "There is therefore a direct correlation between brain activity in DLPFC, known for emotional regulation, and behavioural choices."

Suppress revenge by stimulating DLPFC?

For the first time, the role of DLPFC in revenge has been identified and is distinct from concentrated areas of anger in the amygdala and superior temporal lobe. "One can then wonder if an increase in the activity of DLPFC obtained through transcranial magnetic stimulation, would allow to decrease the acts of vengeance or even to suppress them," says Olga Klimecki-Lenz.

Story Source:

Materials provided by [Université de Genève](#). Note: Content may be edited for style and length.

Journal Reference:

1. Olga M. Klimecki, David Sander, Patrik Vuilleumier. **Distinct Brain Areas involved in Anger versus Punishment during Social Interactions**. *Scientific Reports*, 2018; 8 (1) DOI: [10.1038/s41598-018-28863-3](https://doi.org/10.1038/s41598-018-28863-3)

Cite This Page:

 MLA

 APA

 Chicago

Université de Genève. "How the brain suppresses the act of revenge: Researchers find which brain zones are activated in anger." ScienceDaily. ScienceDaily, 21 August 2018. <www.sciencedaily.com/releases/2018/08/180821094304.htm>.

RELATED STORIES



Virtual Reality Improves Offenders' Empathy

Feb. 26, 2018 — Researchers have developed a virtual reality system so that men who committed a domestic violence crime can get into the victim's shoes. The study shows that

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links and proceeds with scholarly publications in the TrendMD network.

Emotional Labour in Magazine Work: Suppressing and evoking emotions as part of project-based teamwork [↗](#)



these violent people have a lack of ...

[read more »](#)

Make No Mistake, Revenge Is (Bitter) Sweet

June 29, 2016 — Deep, dark and sometimes overwhelming, the human compulsion to seek revenge is a complex emotion that science has found incredibly hard to explain. Despite popular consensus that "revenge is sweet," ...

[read more »](#)



In Gaming, Player Behavior Reflects Roles, Even When No Roles Are Given

Apr. 20, 2016 — Player behavior in narrative role-playing games (RPGs) reflects specific character roles -- even if the game tells players nothing about the character's role. This finding is relevant to both game ...

[read more »](#)



New Research Paves the Way to Begin Developing a Computer You Can Control With Your Mind

Oct. 21, 2015 — A team of researchers has been able to predict participants' movements just by analyzing their brain activity. This study is the first human study to look at the neural signals of planned actions ...

[read more »](#)

Journalism Practice

Supply chain coordination under vendor managed inventory-consignment stocking contracts with wholesale price constraint and fairness

International Journal of Production Economics

Fracture in sheets draped on curved surfaces

Nature Materials

Motivation is a game: Massively multiplayer online games as agents of motivation in higher education

Computers and Education

Seeking a Replacement for Autopsies, Researchers Developing Biomarker-Based Test for CTE

360Dx

Messiness of forest governance: How technical approaches suppress politics in REDD+ and conservation projects

Global Environmental Change

Efficacy, safety, and tolerability of dolutegravir-rilpivirine for the maintenance of virological suppression in adults with HIV-1: phase 3, randomised, non-inferiority SWORD-1 and SWORD-2 studies

The Lancet

Cognitive-behavioural interventions for attention deficit hyperactivity disorder (ADHD) in adults

Cochrane Database of Systematic Reviews

Powered by



I consent to the use of Google Analytics and related cookies across the TrendMD network (widget, website, blog). [Learn more](#)

Yes

No

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- Email Newsletters
- RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- Facebook
- Twitter
- Google+
- LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

Date: 22.08.2018

Kundenartikel

Argus Data Insights Schweiz
8027 Zürich

Genre de média: Internet
Type de média: Type de média inconnu



↳ Lire en ligne



**UNIVERSITÉ
DE GENÈVE**

Ordre: 1094772

Référence: 163696732

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Terms of Use](#)

Copyright 2018 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.